



---

---

## WISCONSIN LEGISLATIVE COUNCIL RULES CLEARINGHOUSE

---

---

**Scott Grosz**  
*Clearinghouse Director*

**Margit S. Kelley**  
*Clearinghouse Assistant Director*

**Jessica Karls-Ruplinger**  
*Legislative Council Acting Director*

### CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

### CLEARINGHOUSE RULE **18-083**

AN ORDER to repeal and recreate ch. DHS 158, relating to the fee for monitoring radiation emissions in the vicinity of nuclear power plants.

Submitted by **DEPARTMENT OF HEALTH SERVICES**

11-07-2018 RECEIVED BY LEGISLATIVE COUNCIL.

12-04-2018 REPORT SENT TO AGENCY.

SG:ZR

**LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT**

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES ☒ NO ☐

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES ☐ NO ☒

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES ☐ NO ☒

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS  
[s. 227.15 (2) (e)]

Comment Attached YES ☐ NO ☒

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES ☒ NO ☐

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL  
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES ☐ NO ☒

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES ☐ NO ☒